

ADINO ROADMASTER 202

POT HOLE REPAIR

TECHNICAL DATA SHEET

ADINO ROADMASTER 202, a cold lay asphalt concrete pot-hole repair compound.

FEATURES & BENEFITS:

- Used in wet, freezing and hot conditions.
- No special preparation required.
- Instant trafficking.
- Recyclable packaging.
- Compatible with flexible road surfaces.
- Solvent free.
- Ready to use – No need to add water.
- Polished stone value 60 psv.
- Absolutely no waste.
- Environmentally friendly – No CO2 gases.

USES:

A suitable solution for roads, pavements, driveways and car parks. The product can be trafficked instantly in wet, freezing and hot conditions and at the same time is compatible with the existing road surface. ADINO ROADMASTER 202 can be applied at depths up to 100mm. (Greater depths can be achieved by applying the layer-on-layer method).

APPLICATION:

ADINO ROADMASTER 202 has high skid resistance due to the specially formulated interlocking aggregate. It is supplied in 25Kg containers.

Pot hole repairs can be achieved at any depth.

1. Ensure pothole is free of debris and standing water.
2. Fill the pothole straight from the tub.
3. Apply slightly proud of the pothole.
4. Tamp down to compact material to complete the application.

STRONGMAN CHEMICALS

Agape World Pvt. Ltd.

A-305, Patel Paradise, Sector- 35E,

Kharghar, Navi Mumbai, PIN: 410210, Maharashtra, India .

E-mail : info@strongmanchemicals.com | Web : www.strongmanchemicals.com |

Customer Care : +91 96197 83727 | Web : www.agape.world |



STRONGMAN

ADINO ROADMASTER 202

POT HOLE REPAIR

TECHNICAL DATA SHEET

STORAGE CONDITIONS:

Store in a cool and well-ventilated place.

SHELF LIFE:

In correct conditions for sealed goods is 6 months.

SIZE:

25Kg tubs.

COVERAGE:

1m² x 15mm (compacted).

DISPOSAL OF CONTAINERS:

Do not leave empty containers where residue could be harmful to children, animals or the environment. Replace lids and remove any containers to a central disposal point in accordance with local regulations.

HEALTH & SAFETY:

Ensure that protective gloves, overalls and protective footwear are worn at all times while handling the material. Avoid skin contact. However, should the bitumen binder adhere to the skin it can be removed with soap and water. Seek medical advice if discomfort continues. If product comes into contact with the eyes rinse with plenty of water and seek medical advice. Material Safety Data Sheet available for the professional user upon request. It is the users' responsibility to determine suitability for use. A test on a small inconspicuous area is

STRONGMAN CHEMICALS

Agape World Pvt. Ltd.

A-305, Patel Paradise, Sector- 35E,

Kharghar, Navi Mumbai, PIN: 410210, Maharashtra, India .

E-mail : info@strongmanchemicals.com | Web : www.strongmanchemicals.com |

Customer Care : +91 96197 83727 | Web : www.agape.world |



ADINO ROADMASTER 202**POT HOLE REPAIR****TECHNICAL DATA SHEET**

recommended prior to use. Please refer to technical data sheet for more in depth information regarding application and coverage.

SPECIFICATION SUMMARY:

APPEARANCE	Black aggregate
Solubility In Water	Non soluble
Flammability	Non flammable



STRONGMAN

"The information contained herein is offered in good faith based on STRONGMAN CHEMICALS's research and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information shall not be used in substitution for customer's tests to ensure that STRONGMAN CHEMICALS's products are fully satisfactory for your specific applications. STRONGMAN CHEMICALS's sole warranty is that the product will meet its current sales specifications. Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted. STRONGMAN CHEMICALS's specifically disclaims any other expressed or implied warranty of fitness for a purpose or merchantability. STRONGMAN CHEMICALS's disclaims liability for any incidental or consequential damages. Suggestions of use shall not be taken as inducements to infringe any patent. Technical indications and data appearing in this brochure are based on our current knowledge and experience and we decline all responsibility for consequences derived from inadequate use. Therefore, our guarantee is limited exclusively to the quality of the product supplied. This technical information can be modified without notice. If necessary request it periodically.

STRONGMAN CHEMICALS

Agape World Pvt. Ltd.

A-305, Patel Paradise, Sector- 35E,
Kharghar, Navi Mumbai, PIN: 410210, Maharashtra, India .

E-mail : info@strongmanchemicals.com | Web : www.strongmanchemicals.com |

Customer Care : +91 96197 83727 | Web : www.agape.world |

